

MAY 12 2009

12May09

## PATENT APPLICATION

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	Colin DUNLOP
Serial no.	10/538,303
Confirmation No.	
Filed	
For	with an effective filing date of December 9, 2003
Group Art Unit	PATIENT WARMING SYSTEM
Examiner	3739
Docket	Kaitlyn E. HELLING
	GRIHAC P44AUS

The Commissioner for Patents  
 U.S. Patent & Trademark Office  
 P. O. Box 1450  
 Alexandria, VA 22313-1450

## APPLICANT'S STATEMENT CONCERNING SUBSTANCE OF INTERVIEW SUMMARY

Dear Sir:

In response to the Examiner's Interview Summary, concerning the telephonic interview of May 6, 2009 between the undersigned and Examiner Kaitlyn E. HELLING, please note that the Applicant generally agrees with the substance of the Interview Summary provided by the Examiner. During the interview, the undersigned representative of the Applicant discussed with the Examiner the differences between the presently claimed invention and the applied Tomic-Edgar et al. reference which has distinct holes provided in the surface of the impervious material versus the porous material of the presently claimed invention.

In addition, the undersigned representative drew the Examiner's attention to the recited limitations of claim 15 which would require the surgical warming blanket to comprise "at least two layers capable of forming a hollow air space between the two layers for receiving warmed air from a heating unit, the two layers and air space being arranged in operation to form a substantially tubular arrangement at least partially surrounding a patient receiving space....wherein one of the two layers of the blanket has a portion of its surface formed of porous material so that the warmed air is delivered to the patient receiving space via the entire surface of the porous material."

No agreement concerning allowance of any claim was reached as a result of this interview.

10/538,303

In view of the forgoing, further comment concerning the substance of the interview is not believed to be necessary.

In the event that there are any fee deficiencies or additional fees are payable, please charge the same or credit any overpayment to our Deposit Account (Account No. 04-0213).

Respectfully submitted,

  
Michael J. Bujold, Reg. No. 32,018  
Customer No. 020210  
Davis & Bujold, P.L.L.C.  
112 Pleasant Street  
Concord, NH 03301-2931  
Telephone 603-226-7490  
Facsimile 603-226-7499  
E-mail: [patent@davisandbujold.com](mailto:patent@davisandbujold.com)